Indian Drugs & Pharmaceuticals Limited. (A Govt. Of India Undertaking) CIN No. U24231HR1961GOI003418

Plant Office Old Delhi Gurgaon Road Dundahera, UdyogVihar Gurgaon-122016 Phone (0124) 2455499 Fax (0124) 2455519 Dated 23.09.2016

NOTICE INVITING TENDER FOR PROCUREMENT OF RAW& PKG MATERIALS

Sl.No.	Item	Qty	Opening Date	Tender Enqiry No.
1.	Amoxycillin Ttrihydrate4 IP	650 Kgs	29.09.2016	IDPG/MM-1/Amoxy/144/16
2.	Tinidazole IP	250 Kgs	29.09.2016	IDPG/MM-1/Tinida/145/16
3.	Ibujprofen IP	1500Kgs	29.09.2016	IDPG/MM-1/IBF/146/16
4.	Cefuroxime Axetil IP	500 Kgs	29.09.2016	IDPG/MM-1/Cefuro/147/16
5.	Print. Al. Foil Spec. Attached	2000Kgs	29.09.2016	IDPG/MM-2/A1.Foil/148/16
6.	Plain Al. Foil Spec. Attached	1600 Kgs	29.09.2016	IDPG/MM-2/A1.Foil/149/16
7.	Ptd. Cartons Spec. attached	3.85 Lac.Nos	29.09.2016	IDPG/MM-2/Cart/150/16

Kindly submitted your quotation in duplicate in sealed cover address to Asstt. Manager (S&P) with our Tender Enquiry No. cited above and date of opening DULY SUBSCRIBED on the ENVELOPE for the undernoted stores subject to the TERMS & CONDITIONS Printed overleaf/(attached). Quotation should reach this office latest by 2.00 pm on dated indicated in above table . Quotation will be opened on the same day at 3.00 pm.

NOTE:- 1. Please clearly quote your prices, taxes , F.O.R. terms & payment terms

- 2. Please clearly indicate Tender No. and Due date of opening on the top of envelop.
- 3. Quotation may be addressed to Stores & Purchase Executive IDPL Gurgaon Plant

4. Please quote your rate minimum 60 days credit basis. Quotation with Advance, PDC & LC payment will not be entertained.

- 5. Tender No. & opening date should be clearly indicated on the envelope failing which tender is liable to be ignored.
- 6. Please send separate quotation for each item in separate envelope.
- 7. Please send a undertaking regarding rates that quoted rates are minimum at that time ...

8. Please send your offer by post/courier. Mailing quotation will not be entertain.

9. Material should be indigenous with self life of 3.6 years at the time of delivery for Item at Sl. No. 1 to 4 and Must be IP grade only

For Indian Drugs & Pharmaceuticals Ltd. Regd. Office IDPL Complex, Old Delhi Gurgaon Road Dundahera, Gurgaon-122016

Asstt. Manager (Stores & Purchase)

Printed Al Foil Compeba 200 mg

Thickness – 0.02mm +- 10% Width – 189mm GSM of VMCH- 6-8, No. of colour – Two Grammage of Aluminium – 62.0 to 74gsm Core dia – 75-76 Max reel dia – 300 HSL (VMCH) Inneer side of foil coated with HSLto make it heat sealable against PVC foil Printing -on dull side)matt finish) & as per design provided

Printed Al Foil Oflodil 400 mg

Thickness – 0.02mm +- 10% Width – 189mm GSM of VMCH- 6-8, No. of colour – Two Grammage of Aluminium – 62.0 to 74gsm Core dia – 75-76 Max reel dia – 300 HSL (VMCH) Inneer side of foil coated with HSLto make it heat sealable against PVC foil Printing -on dull side)matt finish) & as per design provided

Printed Al Foil OflodilOZ

Thickness – 0.02mm +- 10% Width – 172mm GSM of VMCH- 6-8, No. of colour – Two Grammage of Aluminium – 62.0 to 74gsm Core dia – 75-76 Max reel dia – 300 HSL (VMCH) Inneer side of foil coated with HSLto make it heat sealable against PVC foil Printing -on dull side)matt finish) & as per design provided

Printed Al Foil Levocetirazine 5mg

Description – 0.02mm thick r Al. Foil printed on One side Width – 144mm GSM of VMCH- 6-8, No. of colour – Two Grammage of Aluminium – 62.0 to 74gsm Core dia – 75-76 Max reel dia – 300 Coating VMCH – 4 to 6 gsm Printing -on dull side)matt finish) & as per design provided Quantity 150 Kgs.

Quantity150 Kgs.

Quantity 150 Kgs.

Quantity 150 Kgs.

Printed Al Foil Metformin 500mg

Width – 189mm Thickness of Aluminium- 0.02 No. of colour – Two Grammage of Aluminium – 62.0 to 74gsm Core dia – 75-76 Max reel dia – 300 Coating VMCH – 4 to 6 gsm HSL VMCH- Inner side of foil coated with HSL to make it heat sealable against PVC Foil Printing on dull side)matt finish) & as per design provided

Printed Al Foil Amlodipin 5mg

Description – 0.02mm thick r Al. Foil printed on One side Width – 144mm GSM of VMCH- 6-8, No. of colour – Two Grammage of Aluminium – 62.0 to 74gsm Core dia – 75-76 Max reel dia – 300 Coating VMCH – 4 to 6 gsm Printing -on dull side)matt finish) & as per design provided

Printed Al Foil Cefexime 100 mg

Description – 0.04mm thick Strip Laminated Al. Foil Printed on One side Width – 183mm Core dia – 75-76 Gauge of poly – 150 No. of Colour - Two Max reel dia – 300 Printing – On dull side (mat finish)and as per design provided

Printed Al Foil Cefexime 200 mg

Description – 0.04mm thick Strip Laminated Al. Foil Printed on One side Width – 183mm Core dia – 75-76 Gauge of poly – 150 No. of Colour - Two Max reel dia – 300 Printing – On dull side (mat finish)and as per design provided

Plain Al Foil CefeximeCefexime 100 & 200mg

Description – 0.04mm thick Strip Laminated Al. Foil Printed on One side Width – 183mm Core dia – 75-76 Gauge of poly – 150 No. of Colour - Two Max reel dia – 300 Printing – On dull side (mat finish)and as per design provided

Quantity 450 Kgs.

Quantity150 Kgs.

Quantity 200 Kgs.

Quantity 200 Kgs.

Ouantity 400 Kgs.

Pted.Cartons Losartan 50mg

Board – White duplex board of superior quality with smooth surface for printing & with white & Uniform texture backside Dimensions- 122x52x38mm GSM -300 No. of colour – Two Finish - Unvarnished Style – Reverse tuck in style opening at shorter end Printing – As per design provided

Pted.Cartons Amlodipine 5mg

Board – White duplex board of superior quality with smooth surface for printing & with white & Uniform texture backside Dimensions- 144x72x65mm GSM -300 No. of colour – Two Finish - Unvarnished Style - Reverse tuck in style opening at shorter end Printing – As per design provided

Pted.Cartons Levocetrazine 5mg

Board – White duplex board of superior quality with smooth surface for printing & with white & Uniform texture backside Dimensions- 144x72x65mm **GSM -300** No. of colour – Two Finish - Unvarnished Style – Reverse tuck in style opening at shorter end Printing – As per design provided

Pted.Cartons Pentaprozole 400mg

Board – White duplex board of superior quality with smooth surface for printing & with white & Uniform texture backside Dimensions- 52x38x122mm **GSM -300** No. of colour – Two (Red & Pink) Finish - Unvarnished Style – Reverse tuck in style opening at shorter end Printing – As per design provided

50000 Nos.

50000 Nos.

50000 Nos.

50000 Nos.

Pted.Cartons Cefexime 100mg

Board – White duplex board of superior quality with smooth surface for printing & with white & Uniform texture backside Dimensions- 155x50x65mm GSM -300 No. of colour – Two (Red &DarkGreen) Finish - Unvarnished Style –Reverse tuck in style Opening at shorter end

Pted.Cartons Cefexime 200mg

Board – White duplex board of superior quality with smooth surface for printing & with white & Uniform texture backside Dimensions- 155x50x65mm GSM -300 No. of colour – Two (Red & Dark Brown)) Finish – Unvarnished

Pted.Cartons Cefuroxime Axetil 500mg

Board – White duplex board of superior quality with smooth surface for printing & with white & Uniform texture backside Dimensions-215x70x55mm GSM -300 No. of colour – Two (Red & Dark Blue) Finish - Unvarnished Style – Reverse tuck in style, opening at shorter end

Pted.Cartons Oflodil 400mg

Board – White duplex board of superior quality with smooth surface for printing & with white & Uniform texture backside Dimensions-95x40x60mmm GSM -300 No. of colour – Two Finish - Unvarnished Style –Reverse tuck in style , opening at shorter end

25000 Nos.

40000 Nos.

25000 Nos.

25000 Nos.

Pted. Cartons Oflodil OZ

25000 Nos

Board – White duplex board of superior quality with smooth surface for printing & with white & Uniform texture backside Dimensions- 85x70x57mm GSM -300 No. of colour – Two Finish - Unvarnished Style – Opening at top and self lock pasted bottom Printing – As per design provided

Pted. Cartons Sukcee

25000 Nos.

Board – White duplex board of superior quality with smooth surface for printing & with white & Uniform texture backside Dimensions- 180x55x72mm GSM -300 No. of colour – Two Finish - Unvarnished Style – Reverse tuck in style opening at shorter end Printing – As per design provided

Ptd. Cartons Glimepride 1 mg

20000 Nos.

Board – White duplex board of superior quality with smooth surface for printing & with white & Uniform texture backside Dimensions- 44x75x65mm GSM -300 No. of colour – Two (Red & Blue) Finish - Unvarnished Style - Opening at the top side with self-lock pasted bottom Printing – As per design prfovidedd

TERMS & CONDITIONS OF TENDER

- 1. Quotation should be F.O.R. Destination including Insurance charges to cover Risk in Transit up to Destination.
- 2. Price quoted should be NET unless otherwise specified and should be valid for a minimum period of three months from the date of opening of quotation.
- 3. Performance & Mechanical Guarantee for the equipment should be given.
- 4. Manufacturers name and illustrated descriptive literature/ manual must accompany the quotation.
- 5. If this company finds that the material supplied are not of the contract quality or not according to the specification given by the company or otherwise not as per delivery schedule or unsatisfactory owing to any reason of which this company shall be the sole judge and company shall be entitled to reject materials/ cancel the contract and buy its requirement in the open market against the supplier reserving the right to purchase from the deposit placed by the supplier meant for the contract or accept the stores after receiving the liquidated damages from the supplier.
- 6. Tenders must, as far as possible arrange to supply the materials according to the deliveries specified by us if however it is not possible they shall clearly specify the time of delivery which must be strictly adhered to the successful tenderers should arrange to keep stocks of all material for which their tender has been accepted in readiness for the company to draw on the same according to requirements during period of contract.
- 7. Jurisdiction of Court: The courts of the place from where the acceptance or tender has been issued i.e. Gurgaon will alone have jurisdiction to decide any dispute arising out in respect of contract.
- 8. The company will not allow any revision to the price once quoted after the sealed tender are opened. All rates quoted should be firm and not subjects to any variation.
- 9. Arbitration Clauses: All disputes or differences what- so ever arising between the parties out of or relating to the contract/operation or breach thereof shall be settled by arbitration in accordance with the Rule of Indian council of Arbitration and award made in pursuance there of shall be binding on both the parties.
- 10. The company does not bind it self to accept the lowest on any other tender or on any reason for non-acceptance it further reserve the right to accept any tender wholly or in part thereof.
- 11. Quotation will be opened on the date specified by us in the presence of tenderer or their representatives who should be present at the time of opening.
- 12. Delayed Quotation i.e. the quotation received after specified time & date will not normally be entertained, Quotation without tender No. will be ignored.
- 13. There is no prescribed form and the quotation can be submitted on firm's letter head.
- 14. Payment of Sale Tax is primarily, the responsibility of the seller and will not normally be paid by this company where however, the firm insists on the payment of sales Tax by the purchaser they must make mention to the effect in their tender. They should also give their S.T. Registration Number.
- 15. Our standard terms of payment are payment within 30 days after the receipt and acceptance of stores in good condition at our site.
- 16. Quotation must be typed free from error correction Pencil Ink written and overwriting quotation will be ignored.
- 17. If the opening date falls on a holiday, Quotation will be opened on the next working day.
- 18. Performance list including full name & address of the parties to whom similar equipment had been supplied by the party and date of supply must accompany the quotation.