INDIAN DRUGS & PHARMACEUTICALS LTD.

CIN No. U24231HR1961GOI003418 PO;VIRBHADRA[RISHIKESH] UTTARAKHAND PIN-249202

DT: 15.01.2018

REF:IDPL/MM/2018/Packing material/05

OPENING DATE: 20.01.2018

NOTICE INVITING TENDER FOR PURCHASE OF PHARMA BULK.

Sl.	Material	Quan	Opening	Tender Enquiry No.
No		tity	Date	
		(Kg.)		
1.	PTD. ALUMINIUM FOIL	5000	20.01.2018	IDP®/MMP-19/Al. foil/18/20
	BLISTER.			Dt. 08/01/2018.
	Colour: one/two/three			
	Thickness:0.025mm/0.020mm			
2.	PTD. ALUMINIUM FOIL	2500	20.01.2018	IDP®/MMP-19/Al. foil/18/20
	For strip packing.			Dt. 08/01/2018.
	Colour: one/two/three			
3.	PLAIN ALUMINIUM FOIL	2500	20.01.2018	IDP®/MMP-19/A1. foil/18/20
	For strip packing.			Dt. 08/01/2018.
	Colour: one/two/three			

INDIAN DRUGS & PHARMACEUTICALS LTD intends to purchase bulks as per technical specification given in Appendix-A

Interested parties are invited to sent technical & financial bids as per terms & conditions s laid down in Appendix-B .It may be noted that quotations shall be submitted in single bid system i.e. Technical bid & Financial bid in one sealed covers, clearly marking Tender No. & Date of opening and should reach INDIAN DRUGS & PHARMACEUTICALS LTD. PO;VIRBHADRA [RISHIKESH] UTTARAKHAND PIN-249202 latest by 2.30 p.m. on dated indicated in above table. The Technical& Financial bid which shall be opened on SAME DAY at 3.00 p.m. in presence of the parties/representatives (if they turn up).

The format for submitting the bids may be downloaded from the **website www.idplindia.in** or obtained from the office of IDPL i.e. INDIAN DRUGS & PHARMACEUTICALS LTD. PO;VIRBHADRA[RISHIKESH] on any working day, before the date of submission of Tender. For &on behalf of INDIAN DRUGS & PHARMACEUTICALS LTD.PO;VIRBHADRA [RISHIKESH] UTTARAKHAND PIN-249202 Tel:- 0135- 2450179 Fax- 0135- 2450176.

M/S
Sub;- Request for Technical And commercial quotations for
Ref:- Tender No

INDIAN DRUGS & PHARMACEUTICALS LTD(IDPL) intends to purchase Pharma Bulks This RFP consist of 04 PARTS as indicated below:-

- (A) PART- I. This part consist of general requirement of the material, the time frame for deliveries,
- (B) PART-II. The second part of RFP incorporates the aspects of technical parameters and specifications of the proposed material being purchased as per Appendix A.
- (C) PART-III . The third part of RFP consists of the commercial aspects of the procurement , payments terms etc.
- (D) PART-IV .The fourth part defines the criteria for evaluation and acceptance both in technical and commercial contents. A Format has been enclosed for submission along with commercial offer to facilitate preparation of CST(Comparative Statement of Tenders) and identification of L 1 vendor Submission of incomplete format enclosed along with commercial offer will render the offer liable for rejection.
- 2. IDPL invites responses to this request in single bid system (Technical & commercial bid) only from original manufacturers or authorized dealers/traders. The end user of the Bulk is IDPL.

PART-1 GENERAL REQUIREMENTS

- 3. <u>Year of Production</u>:- Supplies should be of latest manufacture, conform to the current production standard and should have 100% of the defined life at delivery.
- 4. **Delivery Schedule:** Delivery of the material :- Immediate/As early as possible.
- 5. If the material being offered has been supplied to any Organization, Public/Private in India, during last 3 years the details of the same may be furnished in the technical offer.
- 6. The technical offer will be evaluated on basis of COA provided by the party.
- 7. Commercial offer will be opened only of the vendors whose material has been technically accepted.
- 8. The vendor is requested to take into consideration the Payment Terms given a Appendix-B.
- 9. To assist the supplier in formulating the commercial proposal and to ensure that all aspects are covered a suggested format of price bid is given at Appendix-C.
- 10. arbitration clause:- In case of any dispute the arbitration shall be finally settled under the provisions of the Arbitration and conciliation Act, 1996 as amended from time to time.

Arbitration proceedings shall be held at Dehradun and the civil courts in Dehradun shall be exclusive jurisdiction.

PART IV EVALUATION AND ACCEPTANCE CRITERIA

11. **Evaluation of commercial proposal**:- The commercial proposal of the firm whose material has been short listed technically will only be opened and a comparative statement will be prepared, L1 bidder will be decided on the basis of total price/kg including taxes and duties, etc as per format given at Appendix-C.

Yours faithfully

Technical specifications:-SPECIFICATION

ITEM: ALUMINIUMFOIL /LDPE LAMINATE FOR STRIP PACKING PRINTED/ PLAIN

- 1. Aluminium foil of 0.04 mm thickness and laminated with pharmaceuticals grade 150 gauges [0.04mm] low density polythene film used. It should be of food grade/nontoxic.
- 2. The printing shall be carried out with gravyre printing process in accordance with our colour scheme and finished designs.
- 3. Printing to be carried out on bright[glossy] or matt surface which will be specified by us before taking up printing job.
- 4. Printing of colour images and typographic matter shall be sharp, well defined elegant and effective.
- 5. Art work will have to be got developed by the party as per guideline provided by us. It must be got approved by us before taking up further development work.
- 6. A superior grade of aluminium foil printing ink with superior quality of heat, water and scuff resistance shall be used.
- 7. Diagonal printing with specific matter shall be carried out if required.
- 8. Both printed [top] and plain[bottom] aluminium foil must run smoothly for high speed fully automatic strip packing machine without resulting bursting, cracking of packets, sealing defects or any other time of physical defects.
- 9. Sealing temperature of foil shall be 135 c + 5 c.
- 10. During production and transit, precaution for security shall be taken to avoid any possible misuse and pilferage by any outsiders.
- 11. The foils shall be free from pin holes, cracks and scratches in order to maintain'0' MTVR, when heat-sealed on high-speed automatic machines.
- 12. Perfect reeling of the aluminium shall be carried out to avoid surface shrinkages, edge crippling and other damages on 70 mm c ore dia and outer diameter 200-250 mm.
- 13. The 70 mm dia core shall be matellic or hard PVC only.
- 14. Sample of printed foil must got approved by us before taking up actual printing/supply.
- 15. Exact widths of the foil for various items will be indicated by us at a later stage.

- 16. PACKING: [a] Each reel shall not weight more than 10-20 Kg. and shall be packed with clean and smooth double polythene. The final packing shall be in wooden boxes. Providing good amount of internal cushioning and fitments to avoid transit hazards.
 - [b] A proper label shall be pasted on the final packs bearing the following particulars:
 - A]Name of the product b]Number of reels packed c] Gross weight in Kg/d] Net weight in Kg.
- 17. A small identification mark fo the printer/supplier should be present on the foil on extreme left or right.Material should be used standard make.
- 18. Material should be standard make.

SPECIFICATION FOR PRINTED AL. FOIL FOR BLISTER PACKING MACHINE

- 1. <u>Coating: foil coated with Heat seal Lacquer[HSL] suitable for sealing with PVC film.</u>
- 2. GSM OF VMCH: 5 TO 7.
- 3. Reeling a] core dia 75-76 mm[core shall be metalic or PVC only]. Reel Dia 210 mm[max.] perfect reeling of the aluminum foil to be carried out to avoid. surface shrinkage,edge crippling and damage, Reel must be free from any joint or pieces.
- 4. Printing: a] The foil is to be printed in continuous repeat design in accordance with the finished design and colour scheme etc.Art work/design may have to be got developed by he party and get it approved by us before cylinder fabrication. Printing to be carried out either on the glossy or matt surface which will be specified by us.
 - b] Printing of colour image,typographic matter must be sharp, attractive well defined elegent and effective
 - c] A superior grade of printing ink should be used with sufficient quality of heat resistance and scuff resistance.
- 5. Approval: The sample of printing foil must be got approved by us before execution of actual supply. One reel of unprinted foil shall also be provided to us for machine trail purpose.
- 6. PACKING a] Each reel shall be packed with clean and smooth double polythene. The final packing shall be in wooden boxes provided good amount of Internal cushioning and fitment to avoid transit hazards.
 - b] a small identification mark of the printer/supplier should be present on the foil on extreme left or right.
 - c] A proper label shall be pasted one each of the box bearing following particulars:-
 - 1] Name of the product.
 - 2] Number of reels packed.
 - 3] Gross weight in Kg,
 - 4] Weight in Kg.

Note: In case of any rejection, material will have to be replaced by the party free of cost. Material should be used standard make.

7. Material should be standard make.

A Company Profile:

- Company's name and full address date of incorporation, registered address and manufacturers address.
- 1. Proprietorship/Partnership/private/Public along with name of the partners in case of partnership.
- 2. List of the clients during last 3 years.

Appendix-B Payment Terms:-

The delivery of goods will be FOR (destination) with consignee location at IDPL VIRBHADRA.

<u>Payment terms</u>:- Vendor may formulate their commercial offer on the assumption of 30 days credit/60 days credit/90 days credit payment basis.

Appendix-C Financial Bid format

S.No	Description	Price in Rs. per kg/ No.
<u>b</u>	Taxes & Duties	
	Packing	
	GST	
	<u>Total</u>	

Appendix-D Draft warranty clause

- 1 .The seller warrants that the goods supplied under this contract conform to technical specification prescribed and shall perform according to the said technical specification.
- 2. The seller will replace the material in case any rejection is found during the use at his risk & cost.