

INDIAN DRUGS & PHARMACEUTICALS LIMITED
(A Govt. Of India Undertaking)
CIN No. U24231HR1961GOI003418
Plant Office, Old Delhi Gurgaon Road
Dundahera, UdyogVihar, Gurgaon-122016
Phone (0124) 2455499, Fax (0124) 2455519

Dated 11.01.2019

NOTICE INVITING TENDER FOR PROCUREMENT OF RAW/PKG. MATERIALS

Sl. No.	Item	Qty.	Opening Date	Tender Enquiry No.
1.	Ciprofloxacin Hcl IP	500 Kgs	18.01.2019	IDPG/MM-1/Cipro./210/19
2.	Printed Cartons (Specifications attached)	2.52 lac	18.01.2019	IDPG/MM-2/Carton/211/19
3.	Printed Al. Foils (Specifications attached)	1200Kgs	18.01.2019	IDPG/MM-2/Foils/212/19
4.	C.Box size 360x300x360mm (Specifications attached)	1500 Nos	18.01.2019	IDPG/MM-2/CB/213/19

Kindly submitted your quotation in duplicate in sealed cover address to Asstt. Manager (S&P) with our Tender Enquiry No. cited above and date of opening DULY SUBSCRIBED on the ENVELOPE for the undernoted stores subject to the TERMS & CONDITIONS Printed overleaf/(attached). Quotation should reach this office latest by 2.00 pm on dated indicated in above table . Quotation will be opened on the same day at 3.00 pm.

- NOTE:-
1. Please clearly quote your prices, taxes , F.O.R. terms & payment terms
 2. Please clearly indicate Tender No. and Due date of opening on the top of envelop.
 3. Quotation may be addressed to Stores & Purchase Executive IDPL Gurgaon Plant
 4. **Please quote your rate minimum 60 days credit basis. Quotation with Advance, PDC & LC payment will not be entertained.**
 5. Tender No. & opening date should be clearly indicated on the envelope failing which tender is liable to be ignored.
 6. Please send separate quotation for each item in separate envelope.
 7. Please send a undertaking regarding rates that quoted rates are minimum at that time ..
 8. **Please send your offer by post/courier. Mailing quotation will not be entertain.**
 9. Material should be indigenous with self life of 3.6 years at the time of delivery and Must be IP grade only
 10. **DELIVERY SCHEDULE: IMMEDIATELY/AS EARLY AS POSOSIBSLE**

For Indian Drugs & Pharmaceuticals Ltd.

Regd. Office
IDPL Complex, Old Delhi Gurgaon Road
Dundahera , Gurgaon-122016

Asstt.Mgr (S & P)

TERMS & CONDITIONS OF TENDER

1. Quotation should be F.O.R. Destination including Insurance charges to cover Risk in Transit up to Destination.
2. Price quoted should be NET unless otherwise specified and should be valid for a minimum period of three months from the date of opening of quotation
3. Performance & Mechanical Guarantee for the equipment should be given
4. Manufacturers name and illustrated descriptive literature/ manual must accompany the quotation.
5. If this company finds that the material supplied are not of the contract quality or not according to the specification given by the company or otherwise not as per delivery schedule or unsatisfactory owing to any reason of which this company shall be the sole judge and company shall be entitled to reject materials/ cancel the contract and buy its requirement in the open market against the supplier reserving the right to purchase from the deposit placed by the supplier meant for the contract or accept the stores after receiving the liquidated damages from the supplier..
6. Tenders must, as far as possible arrange to supply the materials according to the deliveries specified by us if however it is not possible they shall clearly specify the time of delivery which must be strictly adhered to the successful tenderers should arrange to keep stocks of all material for which their tender has been accepted in readiness for the company to draw on the same according to requirements during period of contract.
7. Jurisdiction of Court: The courts of the place from where the acceptance or tender has been issued i.e. Gurgaon will alone have jurisdiction to decide any dispute arising out in respect of contract.
8. The company will not allow any revision to the price once quoted after the sealed tender are opened. All rates quoted should be firm and not subjects to any variation.
9. Arbitration Clauses: All disputes or differences what- so ever arising between the parties out of or relating to the contract/operation or breach thereof shall be settled by arbitration in accordance with the Rule of Indian council of Arbitration and award made in pursuance there of shall be binding on both the parties.
10. The company does not bind it self to accept the lowest on any other tender or on any reason for non-acceptance it further reserve the right to accept any tender wholly or in part thereof..
11. Quotation will be opened on the date specified by us in the presence of tenderer or their representatives who should be present at the time of opening.
12. Delayed Quotation i.e. the quotation received after specified time & date will not normally be entertained, Quotation without tender No. will be ignored.
13. There is no prescribed form and the quotation can be submitted on firm's letter head.
14. Payment of Sale Tax is primarily, the responsibility of the seller and will not normally be paid by this company where however, the firm insists on the payment of sales Tax by the purchaser they must make mention to the effect in their tender. They should also give their S.T. Registration Number.
15. Our standard terms of payment are payment within 30 days after the receipt and acceptance of stores in good condition at our site.
16. Quotation must be typed free from error correction Pencil Ink written and overwriting quotation will be ignored.
17. If the opening date falls on a holiday, Quotation will be opened on the next working day
18. Performance list including full name & address of the parties to whom similar equipment had been supplied by the party and date of supply must accompany the quotation

1) Printed Cartons Metformin 500mg (New Design) Qty 1.50 lacs

Board – White duplex board of superior quality with smooth surface for printing & with white & Uniform texture backside

Dimensions- L-95mmx W-40mmx H-60mm

Grammage -350 gsm (+_5%)

No. of colour – Three (Red, Black and Navy Blue) As per design provided.

Finish - Unvarnished

Style – Reverse tuck in style opening at two side end.

Packing Type – 10x10 Tablets per unit carton

Printing – As per design provided

2) Printed Cartons Metronidazole Tab 200mg (New Design) Qty 10000 Nos

Board – White duplex board of superior quality with smooth surface for printing & with white & Uniform texture backside

Dimensions- L-95mm x W-40mm x H-60mm

Grammage -350 gsm (+_5%)

No. of colour– Three (Red, Black & Green) As per design provided.

Finish – Unvarnished, Description – printed, without laminated carton with two side flaps open.

Style – Reverse tuck in style, opening at two side end. Packing Type – 10x10 Tablets per unit carton

Printing – As per design provided

3) Printed Cartons Metronidazole Tab 400mg (New Design) Qty 20000 Nos

Board – White duplex board of superior quality with smooth surface for printing & with white & Uniform texture backside

Dimensions- L-95mm x W-40mm x H-60mm

Grammage -350 gsm (+_5%)

No. of colour– Three (Red, Black & Blue) As per design provided.

Finish – Unvarnished, Description – printed, without laminated carton with two side flaps open.

Style – Reverse tuck in style, opening at two side end. Packing Type – 10x10 Tablets per unit carton Printing

4) Printed. Cartons Cefixime 100mg (New Design) Qty 10000 Nos

Board – White duplex board of superior quality with smooth surface for printing & with white & Uniform texture backside

Description – Printed, without laminated carton with two side flaps open.

Dimensions- L-155mm x W-50mm x H-65mm

Grammage -350 gsm (+_5%)

No. of colour – Three (Red , Black & Dark green) As per design provided.

Finish – Unvarnished

Packing

5)Printed Cartons Amlodipine Tab. 5mg (New Design) Qty 10000 Nos

Board – White duplex board of superior quality with smooth surface for printing & with white & Uniform texture backside

Dimensions- L-88mm x W-72mm x H-65mm

Grammage -350 gsm (+_5%)

No. of colour – Three (Red, Black & Blue) As per design provided.

Finish – Unvarnished, Description – printed, without laminated carton with top side flaps open.

Style – Opening at top side. Packing Type – 20x3x10 Tablets per unit carton

Printing – As per design provided

6)Printed. Cartons Cefuroxime Axetil 250mg (New Design) Qty 10000 Nos

Board – White duplex board of superior quality with smooth surface for printing & with white & Uniform texture backside

Dimensions- L-215mm x W-55mm x H-70mm

Grammage -350 gms (+_5%)

No. of colour – Three (Red , Black & Orange) As per design provided.

Finish - Unvarnished

Style – Reverse tuck in style, opening at two side end.

Packing- 10x10 Tab.per unit cartons

7)Printed Cartons Ciprofloxacin Tab 250mg (New Design) Qty. 10000 Nos

Board – White duplex board of superior quality with smooth surface for printing & with white &Uniform texture backside

Dimensions- L-95mm x W-40mm x H-60mm

Grammage -350 gsm (+_5%)

No. of colour– Three (Red, Black & Blue) As per design provided.

Finish – Unvarnished, Description – printed, without laminated carton with two side flaps open.

Style – Reverse tuck in style, opening at two side end. Packing Type – 10x10 Tablets per unit carton

Printing – As per design provided

8)Printed Cartons Ciprofloxacin Tab 500mg (New Design) Qty. 20000 Nos

Board – White duplex board of superior quality with smooth surface for printing & with white &Uniform texture backside

Dimensions- L-85mm x W-70mm x H-57mm

Grammage -350 gsm (+_5%)

No. of colour– Three (Red, Black & Green) As per design provided.

Finish – Unvarnished, Description – printed, without laminated carton with top side flap open.

Style – Reverse tuck in style, opening at two side end. Packing Type – 10x10 Tablets per unit carton

Printing – As per design provided

1) Printed Cartons Atorvastatin Tablets IP 10mg (New Design) Qty. 12000 Nos

Board – White duplex board of superior quality with smooth surface for printing & with white & Uniform texture backside

Dimensions- L-144mm x W-72mm x H-65mm

Grammage -350 gsm (+_5%)

No. of colour– Three (Red, Black & Green) As per design provided.

Finish – Unvarnished, Description - Printed without laminated carton with top side flaps open.

Style – Opening at top side. Packing Type – 20x5x10 Tablets per unit carton

Printing- As per design provided

1. Printed Al Foil Metformin 500mg (New Design)

Qty 400 Kgs

.Width – 189mm

Thickness of Aluminium- 0.02mm thick blister Aluminium foil printed of one side.

No. of colour – Three (Red, Black & Navy Blue) as per design provide.

Grammage of Aluminium – 50.0 to 60 gsm

Total Grammage – 55.0 to 65.0 gsm

Core diameter – 75-76mm

Max Roll diameter – 300mm (+_10mm)

Coating VMCH – 4 to 6 gsm

HSL VMCH- Inner side of foil coated with HSL to make it heat sealable against PVC Foil

Printing - On dull side (matt finish) & as per design provided

2. Printed Al Foil Cefixime 100mg Tab (New Design)

Qty 100 Kgs

.Width – 183mm

Description - 0.04mm(+_5.0%) thick laminated Aluminium foil printed of one side.

Identification of Aluminium – A gelatinous white precipitate should be consumed.

No. of colour – Three (Red, Black & Dark Green) as per design provide.

Grammage of Aluminium – 100.0 to 130 gm/m²

Total Grammage – 140.0 to 160.0 gm/m²

Core diameter – 75-76mm, Thickness of Aluminium – 0.038 to 0.042mm

Max Roll diameter – 300mm (+_10mm)

VMCH(lamination) GSM – 30 to 45 gm/m²

HSL VMCH- Inner side of foil coated with HSL to make it heat sealable against PVC Foil

Printing - On dull side (matt finish) & as per design provided

3. Printed Aluminium Foil for Cefuroxime 250mg Tab (New Design)

Qty 100 Kgs

.Width – 190mm

Description - 0.04mm(+_5.0%) thick laminated Aluminium foil printed of one side.

Identification of Aluminium – A gelatinous white precipitate should be consumed.

No. of colour – Three (Red, Black & Orange) as per design provide.

Grammage of Aluminium – 100.0 to 130 gm/m²

Total Grammage – 140.0 to 160.0 gm/m², Thickness of Aluminium – 0.038 to 0.042mm

Core diameter – 75-76mm

Max Roll diameter – 300mm (+_10mm)

VMCH(lamination) GSM – 30 to 45 gm/m²

HSL VMCH- Inner side of foil coated with HSL to make it heat sealable against PVC Foil

Printing - On dull side (matt finish) & as per design provided

4. Printed Al Foil Amlodipine Tab 5mg (New Design)

Qty 100 Kgs

.Width – 103mm

Description - 0.02mm thick blister Aluminium foil printed of one side.

No. of colour—Three (Red, Black & Blue) as per design provide.

Grammage of Aluminium – 50.0 to 60.0 gsm

Total Grammage – 55.0 to 65.0 gsm, Coating VMCH – 4 to 6gsm

Core diameter – 75-76mm

Max Roll diameter – 300mm (+_10mm)

Thickness of aluminium – 0.018 to 0.022mm

HSL VMCH- Inner side of foil coated with HSL to make it heat sealable against PVC Foil

Printing - On dull side (matt finish) & as per design provided

5. Printed Al Foil Metronidazole Tab 200mg (New Design) Qty 100 Kgs

.Width – 189mm

Description - 0.02mm thick blister Aluminium foil printed of one side.

Identification of Aluminium – A gelatinous white precipitate should be consumed.

No. of colour—Three (Red, Black & Green) as per design provide.

Grammage of Aluminium – 50.0 to 60.0 gsm

Total Grammage – 55.0 to 65.0 gsm, Core diameter – 75-76mm

Max Roll diameter – 300mm (+_10mm)

Coating VMCH – 4 to 6 gsm

Thickness of aluminium – 0.018 to 0.022mm

HSL VMCH- Inner side of foil coated with HSL to make it heat sealable against PVC Foil

Printing - On dull side (matt finish) & as per design provided

6. Printed Al Foil Metronidazole Tab 400mg (New Design) Qty 100 Kgs

.Width – 189mm

Description - 0.02mm thick blister Aluminium foil printed of one side.

Identification of Aluminium – A gelatinous white precipitate should be consumed.

No. of colour—Three (Red, Black & Blue) as per design provide.

Grammage of Aluminium – 50.0 to 60.0 gsm

Total Grammage – 55.0 to 65.0 gsm, Core diameter – 75-76mm

Max Roll diameter – 300mm (+_10mm)

Coating VMCH – 4 to 6 gsm

Thickness of aluminium – 0.018 to 0.022mm

HSL VMCH- Inner side of foil coated with HSL to make it heat sealable against PVC Foil

Printing - On dull side (matt finish) & as per design provided

2. Printed Al Foil Atorvastatin 10mg Tab (New Design) Qty.200 Kgs

.Width – 144mm

Thickness of Aluminium- 0.02mm thick blister Aluminium foil printed of one side.

No. of colour – Three (Red, Black & Green) as per design provide.

Grammage of Aluminium – 50.0 to 60 gsm

Total Grammage – 55.0 to 65.0 gsm

Core diameter – 75-76mm

Max Roll diameter – 300mm (+_10mm)

Coating VMCH – 4 to 6 gsm

HSL VMCH- Inner side of foil coated with HSL to make it heat sealable against PVC Foil

Printing - On dull side (matt finish) & as per design provided

14. Printed Al Foil Ciprofloxacin Tab 250mg (New Design) Qty. 25 Kgs

Width – 189mm

Description - 0.02mm thick blister Aluminium foil printed of one side.

Identification of Aluminium – A gelatinous white precipitate should be consumed.

No. of colour—Three (Red, Black & Blue) as per design provide.

Grammage of Aluminium – 50.0 to 60.0 gsm

Total Grammage – 55.0 to 65.0 gsm, Core diameter – 75-76mm

Max Roll diameter – 300mm (+_10mm)

Coating VMCH – 4 to 6 gsm

Thickness of aluminium – 0.018 to 0.022mm

HSL VMCH- Inner side of foil coated with HSL to make it heat sealable against PVC Foil

Printing - On dull side (matt finish) & as per design provided

15. Printed Al Foil Ciprofloxacin Tab 500mg (New Design) Qty. 75 Kgs

.Width – 172mm

Description - 0.02mm thick blister Aluminium foil printed of one side.

Identification of Aluminium – A gelatinous white precipitate should be consumed.

No. of colour—Three (Red, Black & Green) as per design provide.

Grammage of Aluminium – 50.0 to 60.0 gsm

Total Grammage – 55.0 to 65.0 gsm, Core diameter – 75-76mm

Max Roll diameter – 300mm (+_10mm)

Coating VMCH – 4 to 6 gsm

Thickness of aluminium – 0.018 to 0.022mm

HSL VMCH- Inner side of foil coated with HSL to make it heat sealable against PVC Foil

Printing - On dull side (matt finish) & as per design provided

Corrugated Box

360x300x360mm (Glimepride Tab)

Paper – Kraft Paper of superior quality

Ply – 5 (Five)

Dimension – 360mmLx300mmWx360mmH

GSM – Liner: 1, 2, 3 100 each

Flute: 1, 2 100 each

Flute direction – vertical/narrow.

Bursting strength – 11kg/cm, Bursting factor – NLT 20

Puncture Resistance – 250 ozs/tear inch

Nature of gum – Starch based

Interleaving board - Two, each of three ply & 100gsm

Note:- The box should be of single piece with double stapling using flat wire of mild steel or galvanized material at one corner only as per IS:1066-1981. Box joint shall have overlapping of min.40mm and spacing of stapling should not be more than 60mm. The first and last stapling should not be put at a distance of more than 25mm from end.